Page 2

## Amendments to the Claims

The following Listing of the Claims will replace all prior versions and all prior listings of the claims in the present application:

## **Listing of The Claims:**

## 1-23. (Cancelled)

- 24. (Withdrawn) A method for DNA synthesis comprising:
  - (a) providing an enzyme mixture, said enzyme mixture comprising a first enzyme comprising a DNA polymerization activity, and a second enzyme which is a mutant Pfu DNA polymerase comprising one or more mutations at amino acid positions selected from the group consisting of: D405, Y410, T542, D543, K593, Y595, Y385, G387, and G388; and
  - (b) contacting said enzyme mixture with a nucleic acid template, wherein said enzyme mixture permits DNA synthesis.
- 25. (Withdrawn) The method of claim 24, wherein said nucleic acid template is a DNA molecule.
- 26. (Withdrawn) The method of claim 25, wherein said first enzyme is a DNA polymerase or a reverse transcriptase.
- 27. (Withdrawn) The method of claim 26, wherein said DNA polymerase is selected from the group consisting of: Taq DNA polymerase, Tth DNA polymerase, UlTma DNA polymerase, Tli DNA polymerase, Pfu DNA polymerase, KOD DNA polymerase, JDF-3 DNA polymerase, PGB-D DNA polymerase and DP1/DP2 DNA polymerase.

## 28-30. (Cancelled)

31. (Withdrawn) A method for DNA synthesis comprising: BOS111\_12054788.1

- (a) providing an enzyme mixture, said enzyme mixture comprising a wild type Pfu DNA polymerase as a first enzyme, and a mutant Pfu DNA polymerase as a second enzyme which comprises a 3'-5' exonuclease activity and a reduced DNA polymerization activity; and
- (b) contacting said enzyme mixture with a nucleic acid template, wherein said enzyme mixture permits DNA synthesis.
- 32. (Withdrawn) A method for TA cloning of DNA synthesis product comprising:
  - (a) providing an enzyme mixture, said enzyme mixture comprising a Taq DNA polymerase as a first enzyme, and a mutant Pfu DNA polymerase as a second enzyme which comprises a 3'-5' exonuclease activity and a reduced DNA polymerization activity;
  - (b) contacting said enzyme mixture with a nucleic acid template, wherein said enzyme mixture permits DNA synthesis to generate a synthesized DNA product; and
  - (c) inserting said synthesized DNA product into a TA cloning vector.
- 33. (Withdrawn) The method of claim 31, or 32, wherein said mutant Pfu DNA polymerase comprises one or more mutations at amino acid positions selected from the group consisting of: D405, Y410, T542, D543, K593, Y595, Y385, G387, and G388.
- 34. (Withdrawn) The method of claim 24, wherein said mutant Pfu DNA polymerase comprises one or more mutations selected from the group consisting of: D405E, Y410F, T542P, D543G, K593T, Y595S, Y385Q, Y385S, Y385N, Y385L, Y385H, G387S, G387P, and G388P.
- 35. (Withdrawn) The method of claim 24, 31 or 32, wherein said reaction mixture further comprises a PCR enhancing factor and/or an additive.

- 36. (Withdrawn) An isolated mutant DNA polymerase comprising a reduced DNA polymerization activity.
- 37. (Withdrawn) An isolated mutant DNA polymerase comprising a 3'-5' exonuclease activity and a reduced DNA polymerization activity.
- 38. (Withdrawn) The mutant DNA polymerase of claim 36 or 37, wherein said mutant DNA polymerase comprises a mutation in the partitioning domain or in the polymerase domain.
- 39. (Withdrawn) The mutant DNA polymerase of claim 37, wherein said mutant DNA polymerase is a mutant Pfu DNA polymerase.
- 40. (Withdrawn) A mutant Pfu DNA polymerase with reduced DNA polymerization activity, wherein said mutant Pfu DNA polymerase comprises one or more mutations at amino acid positions selected from the group consisting of: T542, D543, K593, Y595, Y385, G387, and G388.
- 41. (Withdrawn) The mutant DNA polymerase of claim 40, wherein said mutant Pfu DNA polymerase comprises one or more mutations selected from the group consisting of: T542P, D543G, K593T, Y595S, Y385Q, Y385S, Y385N, Y385L, Y385H, G387S, G387P, and G388P.
- 42. (Withdrawn) The mutant DNA polymerase of claim 37, wherein said mutant DNA polymerase is derived from the group consisting of: UlTma DNA polymerase, Tli DNA polymerase, KOD DNA polymerase, JDF-3 DNA polymerase, PGB-D DNA polymerase and DP1/DP2 DNA polymerase.
- 43. (Withdrawn) A composition for DNA synthesis comprising an isolated mutant DNA polymerase which comprises a reduced DNA polymerization activity.
- 44. (Withdrawn) A composition for DNA synthesis comprising an isolated mutant DNA polymerase which comprises a 3'-5' exonuclease activity and a reduced DNA polymerization activity.

- 45. (Withdrawn) The composition of claim 43 or 44, wherein said mutant DNA polymerase comprises a mutation in the partitioning domain or the polymerase domain.
- 46. (Withdrawn) The composition of claim 44, wherein said mutant DNA polymerase is a mutant Pfu DNA polymerase.
- 47. (Withdrawn) A composition comprising a mutant Pfu DNA polymerase, wherein said mutant DNA polymerase comprises one or more mutations at amino acid positions selected from the group consisting of: T542, D543, K593, Y595, Y385, G387, and G388.
- 48. (Withdrawn) The composition of claim 47, wherein said mutant Pfu DNA polymerase comprises one or more mutations selected from the group consisting of: T542P, D543G, K593T, Y595S, Y385Q, Y385S, Y385N, Y385L, Y385H, G387S, G387P, and G388P.
- 49. (Withdrawn) The composition of claim 44, wherein said mutant DNA polymerase is derived from the group consisting of: UlTma DNA polymerase, Tli DNA polymerase, KOD DNA polymerase, JDF-3 DNA polymerase, PGB-D DNA polymerase and DP1/DP2 DNA polymerase.
- 50. (Withdrawn) A kit for DNA synthesis comprising a mutant DNA polymerase which comprises a reduced DNA polymerization activity and packaging material therefore.
- 51. (Withdrawn) A kit for DNA synthesis comprising a mutant DNA polymerase which comprises a 3'-5' exonuclease activity and a reduced DNA polymerization activity and packaging material therefore.
- 52. (Withdrawn) The kit of claim 50 or 51, wherein said mutant DNA polymerase comprises a mutation in the partitioning domain or the polymerase domain.
- 53. (Withdrawn) The kit of claim 51, wherein said mutant DNA polymerase is a mutant Pfu DNA polymerase.

- 54. (Withdrawn) A kit comprising a mutant DNA polymerase which comprises a reduced DNA polymerization activity and packaging material therefor, wherein said mutant Pfu DNA polymerase comprises one or more mutations at amino acid positions selected from the group consisting of: T542, D543, K593, Y595, Y385, G387, and G388.
- 55. (Withdrawn) The kit of claim 54, wherein said mutant Pfu DNA polymerase comprises one or more mutations selected from the group consisting of: T542P, D543G, K593T, Y595S, Y385Q, Y385S, Y385N, Y385L, Y385H, G387S, G387P, and G388P.
- 56. (Withdrawn) The kit of claim 51, wherein said mutant DNA polymerase is derived from the group consisting of: UlTma DNA polymerase, Tli DNA polymerase, KOD DNA polymerase, JDF-3 DNA polymerase, PGB-D DNA polymerase and DP1/DP2 DNA polymerase.
- 57. (Withdrawn) A mutant Pfu DNA polymerase produced by introducing a mutation in to a polynucleotide encoding a wild type Pfu DNA polymerase to produce a mutant Pfu DNA polymerase comprising one or more mutations at amino acid positions selected from the group consisting of: T542, D543, K593, Y595, Y385, G387, and G388.
- 58. (Withdrawn) A mutant Pfu DNA polymerase comprising a reduced DNA polymerization activity, wherein said mutant Pfu DNA polymerase is produced by the steps:
- (a) providing a polynucleotide encoding a wild-type Pfu DNA polymerase;
- (b) introducing one or more nucleotide mutations into said polynucleotide to produce a mutant polynucleotide encoding said mutant Pfu DNA polymerase; and
- (c) expressing said mutant polynucleotide to produce said mutant Pfu DNA polymerase, wherein said mutant Pfu DNA polymerase comprises one or more mutations at amino

Page 7

acid positions selected from the group consisting of: T542, D543, K593, Y595, Y385, G387, and G388.

- 59. (Withdrawn) The mutant DNA polymerase of claim 58, wherein said mutant Pfu DNA polymerase comprises one or more mutations selected from the group consisting of: T542P, D543G, K593T, Y595S, Y385Q, Y385S, Y385N, Y385L, Y385H, G387S, G387P, and G388P.
- 60. (Withdrawn) A composition comprising a mutant Pfu DNA polymerase produced by expressing a polynucleotide encoding a Pfu DNA polymerase with a reduced DNA polymerization activity, wherein said mutant Pfu DNA polymerase comprises one or more mutations at amino acid positions selected from the group consisting of: T542, D543, K593, Y595, Y385, G387, and G388.
- 61. (Withdrawn) A composition comprising a mutant Pfu DNA polymerase comprising a reduced DNA polymerization activity, wherein said mutant Pfu DNA polymerase is produced by the steps:
- (a) introducing a mutation into a polynucleotide encoding a wild-type Pfu DNA polymerase to produce said mutant Pfu DNA polymerase comprising one or more mutations at amino acid positions selected from the group consisting of: T542, D543, K593, Y595, Y385, G387, and G388;
- (c) expressing said mutant polynucleotide to produce said composition comprising said mutant Pfu DNA polymerase.
- 62. (Withdrawn) The composition of claim 60 or 61, wherein said mutant Pfu DNA polymerase comprises one or more mutations selected from the group consisting of: T542P, D543G, K593T, Y595S, Y385Q, Y385S, Y385N, Y385L, Y385H, G387S, G387P, and G388P.
- 63. (Withdrawn) The method of claim 33, wherein said mutant Pfu DNA polymerase comprises one or more mutations selected from the group consisting of: D405E,

Page 8

Y410F, T542P, D543G, K593T, Y595S, Y385Q, Y385S, Y385N, Y385L, Y385H, G387S, G387P, and G388P.

- 64. (Currently amended) An enzyme mixture comprising a first enzyme and a second enzyme, wherein said first enzyme comprises a polymerization activity of a DNA polymerase or reverse transcriptase -is an Archaeal DNA polymerase, said second enzyme is a mutant Archaeal DNA polymerase comprising a 3'-5' exonuclease activity and a reduced DNA polymerization activity, wherein the mutant Archaeal DNA polymerase comprises a mutation selected from the group consisting of amino acid positions corresponding to D405, Y410, T542, D543, K593, Y595, Y385, G387, and G388 of Pfu DNA polymerase.
- 65. (Currently Amended) The enzyme mixture of claim 64, wherein said mutant DNA polymerase is derived from a DNA polymerase selected from the group consisting of: Tli DNA polymerase (Vent DNA polymerase), PGB-D (Deep Vent) DNA polymerase, Tgo DNA polymerase, Pfu DNA polymerase, KOD DNA polymerase, and JDF-3 DNA polymerase having the sequence of (SEQ ID NO. 10).
- 66. (Previously presented) The enzyme mixture of claim 65, wherein said mutant DNA polymerase comprises a mutation in its partitioning domain or polymerase domain.
- 67. (Previously presented) An enzyme mixture comprising a first enzyme and a second enzyme, wherein said first enzyme is a DNA polymerase, said second enzyme is a mutant Archaeal DNA polymerase comprising a 3'-5' exonuclease activity and a reduced DNA polymerization activity wherein when said mutant Archaeal DNA polymerase is a mutant Pfu DNA polymerase, and said mutant Pfu DNA polymerase contains a mutation at an amino acid position selected from the group consisting of Y410, T542, D543, K593, Y595, Y385, G387, and G388.
- 68. (Currently Amended) The enzyme mixture of claim 657, wherein said mutant DNA polymerase comprising a mutation in its partitioning domain or polymerase domain is a mutant Pfu DNA polymerase, KOD DNA polymerase, Tgo DNA polymerase, Tli

Page 9

(Vent) DNA polymerase, PGB-D (Deep Vent), or JDF-3 DNA polymerase <u>having the sequence of (SEQ ID NO. 10)</u>.

- 69. (Cancelled)
- 70. (Previously presented) The enzyme mixture of claim 67, wherein said mutant Pfu DNA polymerase contains a mutation of G387P.
- 71. (Previously presented) The enzyme mixture of claim 68, wherein said mutant DNA polymerase is a mutant KOD DNA polymerase, and said mutant KOD DNA polymerase contains a mutation at an amino acid position selected from the group consisting of Y384, G386, G387, D404, T541, D542, and K592.
- 72. (Previously presented) The enzyme mixture of claim 71, wherein said mutant KOD DNA polymerase contains a mutation of G387P.
- 73. (Currently Amended) An enzyme mixture comprising a first enzyme and a second enzyme, wherein said first enzyme is a DNA polymerase, said second enzyme is a mutant JDF-3 DNA polymerase in which JDF-3 having the sequence of (SEQ ID NO. 10) is mutated.
- 74. (Previously presented) The enzyme mixture of claim 73, wherein said mutant JDF-3 DNA polymerase contains a mutation of G387.
- 75. (Previously presented) The enzyme mixture of claim 64, wherein said first enzyme and said second enzyme are derived from two different Archaeal DNA polymerases.
- 76. (Currently Amended) The enzyme mixture of claim 75, wherein said first enzyme is wild type KOD or wild type JDF-3 DNA polymerase <u>having the sequence of (SEQ ID NO. 10)</u>, and said second enzyme is a mutant Pfu DNA polymerase.
- 77. (Previously presented) The enzyme mixture of claim 76, wherein said mutant Pfu DNA polymerase contains a mutation at amino acid G387.

- 78. (Previously presented) The enzyme mixture of claim 77, wherein said mutant Pfu DNA polymerase contains a mutation of G387P.
- 79. (Previously presented) The enzyme mixture of claim 75, wherein said first enzyme is wild type Pfu DNA polymerase, and said second enzyme is a mutant KOD or mutant JDF-3 DNA polymerase.
- 80. (Previously presented) The enzyme mixture of claim 79, wherein said mutant KOD or mutant JDF-3 DNA polymerase contains a mutation of G387.
- 81. (Previously presented) The enzyme of claim 80, wherein said mutant KOD or mutant JDF-3 DNA polymerase contains a mutation of G387P.
- 82. (Previously presented) The enzyme mixture of claim 67, wherein said first enzyme is Taq DNA polymerase.
- 83. (Previously presented) The enzyme mixture of claim 82, wherein said second DNA polymerase is a mutant Pfu, a mutant KOD or a mutant JDF-3 DNA polymerase.
- 84. (Previously presented) The enzyme of claim 83, wherein said mutant Pfu, mutant KOD, or mutant JDF-3 DNA polymerase contains a mutation of G387P.
- 85. (Currently amended) A kit comprising an enzyme mixture comprising a first enzyme and a second enzyme, wherein said first enzyme comprises a polymerization activity of a DNA polymerase or reverse transcriptase is an Archaeal DNA polymerase, said second enzyme is a mutant Archaeal DNA polymerase comprising a 3'-5' exonuclease activity and a reduced DNA polymerization activity, wherein the mutant Archaeal DNA polymerase comprises a mutation selected from the group consisting of amino acid positions corresponding to D405, Y410, T542, D543, K593, Y595, Y385, G387, and G388 of Pfu DNA polymerase, and packaging material therefor.
- 86. (Previously presented) A kit comprising an enzyme mixture comprising a first enzyme and a second enzyme, wherein said first enzyme is a DNA polymerase, said second enzyme is a mutant Archaeal DNA polymerase comprising a 3'-5' BOS111 12054788.1

Page 11

exonuclease activity and a reduced DNA polymerization activity, wherein said mutant DNA polymerase comprises a mutation at a position as indicated in Tables 2A and 2B, and packaging material therefor, wherein when said mutant Archaeal DNA polymerase comprising a 3'-5' exonuclease activity and a reduced DNA polymerization activity is a mutant Pfu DNA polymerase, and said mutant Pfu DNA polymerase contains a mutation at an amino acid position selected from the group consisting of Y410, T542, D543, K593, Y595, Y385, G387, and G388.

- 87. (Previously presented) The kit of claim 85 or 86, further comprising a reagent selected from the group consisting of: dNTPs, reaction buffer, primer, and DNA enhancing factor.
- 88. (Previously presented) The enzyme mixture of claim 74, wherein said mutant JDF-3 DNA polymerase contains a mutation of G387P.
- 89. (Previously presented) The enzyme mixture of claim 68, wherein when said mutant DNA polymerase comprising a mutation in its partitioning domain or polymerase domain is a mutant Tgo DNA polymerase, said mutant Tgo DNA polymerase contains a mutation at an amino acid position selected from the group consisting of: D404, T541, D542, K592, Y384, G386, and G387.
- 90. (Previously presented) The enzyme mixture of claim 89, wherein said mutant Tgo DNA polymerase contains a mutation of G386P.
- 91. (Previously presented) The enzyme mixture of claim 68, wherein when said mutant DNA polymerase comprising a mutation in its partitioning domain or polymerase domain is a mutant Tli (Vent) DNA polymerase, said mutant Tli (Vent) DNA polymerase contains a mutation at an amino acid position selected from the group consisting of: D407, T544, D545, K595, Y387, G389, and G390.
- 92. (Previously presented) The enzyme mixture of claim 91, wherein said mutant Tli (Vent) DNA polymerase contains a mutation of G389P.

- 93. (Previously presented) The enzyme mixture of claim 68, wherein when said mutant DNA polymerase comprising a mutation in its partitioning domain or polymerase domain is a mutant PGB-D (Deep Vent) DNA polymerase, said mutant PGB-D (Deep Vent) DNA polymerase contains a mutation at an amino acid position selected from the group consisting of: D405, T542, D543, K593, Y385, G387, and G388.
- 94. (Previously presented) The enzyme mixture of claim 93, wherein said mutant PGB-D (Deep Vent) DNA polymerase contains a mutation of G387P.